FARM POND DATA SHEET

Cooperator:					Fie	d Office:						
Conservation	n District:				Loc	ation:						
Identification No.:						Field No.: Site #:						
Location an Existing dev	AZARD CLA d valley conf velopment ^{1/} a nts.	iguration and other	are on the pertinen	is form. t	Spillwa Slope Princip	Runoff: Q ay Protec Protection pal Spillwa	tion-Kind: n-Kind: _ ay: (see a	ttached	design) _			
low	future deve high present dev	_ because	e (e.g. da	am's	Surfac	e Area: ory Dam: inventory	A	c. Storag	ge: ee NEM 5	Ac.Ft 21.21)		
	nents ^{2/} t					repared Da Da tted to Ar	ite:					
¹ / Includes ho	gnature uses, utilities, ults obtained f			, farm or co	Date mmercia		and other	 r pertinent	improvem	nents.		
		PROF	_	SPILLWAY	_		ANCE					
Excavated S Natural Spwy Slope Range	owy: q v: Natural Gr	Hp ound Slop	b d be (Z ₂)%	Q_	L _		: 1 Re	tardance dance Elev.				
						Ž	Maximum S	↑Eff. ↓Height:	Elev. Earth S	oill:		
						•	Spill	EI way Contr		op of Dam		
BM Location,	DAM, SPILL Sta.0+00, Re Structures, an	ference Po	oints, Nort	th Arrow,	V	Desig	ned By		Date			
						Appro	ved By		Date			

FL-ENG-378A 10/04 Sheet 2 of 4

SURVEY NOTES AND COMPUTATIONS – LAYOUT $^{1\!f}$

Cooperator:								Site #:					
Survey Party									Date				
Bench Mark E	lev.		E	BM Desc	ription								
Rod Reading Height of Insti	on BIVI			•									
Elev. Top of D	ament)am		Free	board +	D								
Grade Rod To					. Grade			Top Wid	th (feet)	<u> </u>	% Shri	nkage	
Station	CROSS SECTION NOTES (Rod Readings Over Horizontal Distance From Centerline)							Settled Height At Centerline	Total Height (including shrinkage)	End Area (square feet)	Sum of Adjacent Sections	Length of Seg. (feet)	Product Column (A)X(B)
	Upstream Slope:1		Œ	Downstream Slope :1		(feet)	(feet)		(A)	(B)			
	Оюр		<u> </u>		0.00	Ĭ	<u> </u>						
											_		
				-									
				-									
				-									
				-									
				-									
				-			1						
											Cubtotal (a	Vd-\	
											Subtotal (c	•	
$^{1\!\!/}$ For simple er	nbankn	nents	with re	elatively	level se	ection	ns wher	re volume can b	e computed using	fill height meth	Shrinkage(cu. Yas.)	
Embankment (Cu. Yds	s.):			_								
Core (Cu. Yds. Foundation Stri):												
Foundation Stri	pping (Cu. Y	'ds.): _										
Total (Cu. Yds. Computations):	k Dva			=				Data				
Computations	cnec	к ву:							Date: _				

Cooperator:		Site #:
	Soil Investig	ation Report
Location of Borings	Depth	USDA or Unified Report of Findings
 Based on soil characteristic	s is the pond site sat	isfactory? Yes No
	Construction Re	
oundation:		
Embankment:		
Spillway:		
/egetative Requirements: _		

ooperator: Site #:													
ırvev Pa	ırty:	CONSTRUCTION CHECK											
	% Shrinkage	Bench Rod Re Height Elev. T	Mark Elevaleading on Instrument op of Damade Rod (1	BM t (Net)		(Contro	SPILI Earth I Section	_WAY (Plan n) Grac	© Grade Rod ^{1/} (Ck. GR – Shrink.)	As Built (© GR-RR)			
		CK. GI		(CROSS S	(As	Built) [ownstre S					
			Ups	rizontal I	Distanc	e From Do							
						_							
			_			_							
			_										
5			est Constr.	Slope	:1		Steep	oest Co	nstr. Sl	ope	:1		
	rofile: <u>Ro</u> Distar	nce											
Built Sp Built Do	idth of Spilly oillway Elev. epth of Rese	: ervoir: _			Ft. Ft.								
equate if	centerline ro	d readin	g is equa	l to or gr	eater thai	n this figu	ure.				each station. Sp	illway is	
	tice meets N												